M-Hale 991.

Round Bale Wrapper



"Dependable Performance"

For thousands of contractors and owner operators McHale is the name for Round Bale Wrapping - A perfect blend of tried and tested technology with solid construction and dependable performance. Depending on your requirements the 991L series can be supplied with practical features including the hydraulic cut and tie system and the efficient 750mm film dispenser unit which maximises film usage, all which can be simply controlled with the touch of a button or a remote control. Like all McHale Balewrappers, the high output 911L Series will give you a tightly wrapped bale that increases feed quality and contains the natural juices for greater nutritional value while giving increased environmental protection.

Remote Control

When used with an independent power pack and an infra red remote control, this machine will eliminate the need for a second tractor and operator. While one bale is being wrapped the operator can stack the last completed bale ready to complete the cycle. This economical and efficient method of bale wrapping can reduce operating costs by up to 50% while keeping the handling of the wrapped bales to a minimum.



Cut & Tie

The McHale hydraulically operated Cut and Tie System cuts and holds the film in position ready to wrap the next bale. This time saving device eliminates the need to manually reattach the film.

Uniquely designed, this system works reliably and consistently in all weather conditions.



Quick fit dispenser



Reloading new roll



Locking in new roll











M·Hale



McHale has evolved from a farm machinery retail outlet, which is still in existence today. This background has provided an excellent foundation for the design and manufacture of farm machinery, due to direct contact with the end user. Manufacturing takes place in a purpose built facility, which utilises the latest in laser and robotics manufacturing technology and operates to ISO 9001/2008 accreditation.

All research and development is conducted inhouse using leading edge technologies. Machines go through rigorous testing during the product development process and machine performance is constantly monitored. As a result, this ensures that product of the highest quality, specification and design are delivered to you. Which explains why a McHale product is truly "an investment in the future".

M-Hale

 991_{L}

Round Bale Wrapper 991L-LB-LBER-TBER SERIES

Technical Data

lecillical Data	
Linkage Model [Round]	991L, 991LB, 991LBER
Total Length Transport Width Height to top of rollers Total Height Min oil req. litres per minute Max bale weight Lift Capacity @ 170 bar Weight (unladen) Working speed-table (up to)	2.8m (9'2") 1.65m (5'5") 0.83m (2'9") 1.94m (6'4") 18 @ 150 bar 1200kg. (2646 lbs) 1100 kg. (2425 lbs.) 800 kg. (1764 lbs) 30 rotations/min
Electrical requirements Driver Control	12v/dc 7 pin (991LB) 12v/from battery (991LBER) 3 Bank Valve & monitor (991LB) Elec. box & remote (991LBER)
Film Holders Dispenser - Aluminium 70/55% Protection Mechanism Greasing Points	2 750/500mm Shear bolt/roll pin 11
Equipment on each model	991L 991LB 991LBER
750/500 Dispenser 2 film holders	



Cut & Tie
Bale wrap monitor

M-Hale

Ballinrobe, Co. Mayo, Ireland

- T. 353 (0) 94 95 20300
- F. 353 (0) 94 95 20356
- E. sales@mchale.net

SUPPLIED BY:

Fully auto/remote and manual over-ride

www.mchale.net

DISCLAIMER