# MHale



### "Practical and Versatile"

The McHale linkage Square Balewrapper is the practical and versatile solution for wrapping large square bales. With the usual McHale common sense design, quality components and precision engineering the Linkage Square Balewrapper is the trusted choice for framers who want high output and consistent performance for use in static locations. Depending on your requirements the 99L Series can be supplied with practical features including the hydraulic cut and the tie system and the efficient 750mm film dispenser unit which maximises film usage, all of which can be simply controlled with the touch of a button or a remote control. The constantly rotating rollers ensures an even rotation of the bale and the efficient application of the film. Versatile too, with a simple adjustment the 995L Linkage Square Balewrapper will equally and efficiently wrap large round bales. Like all McHale Balewrappers, the high output 995L Series will give you a tightly wrapped bale that contains all the natural juices for increased nutritional value while improving environmental protection.

#### Remote Control

When used with an independent power pack and an infra red remote control, this machine will eliminate the need for a second tractor and operator. While one bale is being wrapped the operator can stack the last completed bale ready to complete the cycle. This economical and efficient method of bale wrapping can reduce operating costs by up to 50% while keeping the handling of the wrapped bales to a minimum.



### **Cut & Tie**

The McHale hydraulically operated Cut and Tie System cuts and holds the film in position ready to wrap the next bale. This time saving device eliminates the need to manually reattach the film.

Uniquely designed, this system works reliably and consistently in all weather conditions.



## **Quick Fit Dispenser**




Reloading new roll



Locking in new roll















Square Bale Wrapper 995L-LS-LSR-TSR Series

## **Versatility**

Technical Data

The 995 Series is practically designed to wrap both round and square bales with equal efficiency.



#### Distributed by

lecillical pata	
Linkage Model [Square]	995L
Transport Length Transport Width Height to top of rollers Total Height Min oil req. litres per minute Max bale weight Weight (unladen)	3.1m (10′2″) 1.73m (5′8″) 0.97m (3′2″) 1.97m (6′6″) 18 @ 150 bar 1000kg. (2000 lbs) 1100 kg. (2200 lbs)
Working speed-table (up to)  Protection Mechanism Greasing Points	30 rotations/min Shear bolt/roll pin 15
Bale Sizes	
70 s 80, 80 s 80, 80 s 90 mm Round bales Max. Diameter Round bales Max. Width	Length 180 cm 180 cm 180 cm

Due to the continuing policy of product improvement, we reserve the right to alter specification and construction without notice



McHale Engineering Limited, Castlebar Road, Ballinrobe, Co. Mayo, Ireland. Tel: 353 94 9520300 Email: sales@mchale.net Fax: 353 94 9520356 Web: www.mchale.net